



AN ROINN TALMHAÍOCHTA, BIA AGUS MARA
DEPARTMENT OF AGRICULTURE, FOOD AND THE MARINE
ACCEPTED SLATS, BEAMS, SLABS AND HOLLOWCORE SLABS FOR GRANT-AID

This list details all the companies that are accepted as producing accepted concrete slats, precast concrete beams, precast slabs, precast hollow core slabs, precast pillars, precast cubicle beds and plastic slats for grant-aided works. The units will still be subject to a final inspection before grant-aid is paid and all concrete elements are required to be accompanied by the “Certificate of Slat Manufacture”.

If a precast concrete manufacturing company which is not on this list wishes to be included, it should send the required information in relation to their slats to: Engineering Unit, Nitrates, Biodiversity and Engineering Division, Pavilion A, Grattan Business Centre, Dublin Road, Portlaoise, Co. Laois, Ireland.

This list details all the companies that are accepted as producing plastic sheep slats that are eligible for use in grant-aided sheep housing. Plastic sheep slats supplied by manufacturers not on this list cannot be grant aided. If a plastic sheep slat manufacturing company which is not on this list wishes to be included, they should contact: Engineering Unit, Nitrates, Biodiversity and Engineering Division, Department of Agriculture, Food and the Marine, Pavilion A, Grattan Business Centre, Dublin Road, Portlaoise, Co. Laois, Ireland.

The requirements can be found on the Farm buildings page of the Department of Agriculture, Food and the Marine’s website under “Acceptance procedures for inclusion on accepted lists”.

Note: Grant-aid will not be paid for slats, slabs, beams, etc., placed on tanks constructed from concrete blocks that are more than 1.20m deep.

Concrete Slat Load Classes:

- A1: Calves < 200kg, gap between ribs 20 – 28 mm.
 - A2: Cattle 200 kg – 825 kg, gap between ribs 30 – 35 mm.
 - A3: Cattle 200 kg – 825 kg, gap between ribs 30 – 40 mm.
 - B1: Piglets and weaner pigs < 40kg, gap between ribs 10 – 14 mm. For piglets the maximum permitted gap is 11mm.
 - B2: Rearing and finishing pigs, sheep and goats 20 kg- 125 kg, gap between ribs 14 – 18 mm.
 - B3: Gilts after service, sows and boars, sheep and goats 25 kg – 250 kg, gap between ribs 14 – 20 mm.
- Note:** Mass of animal relates to the average of a group. The mass of a single animal can exceed the tabulated mass by up to 15 %.



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Banagher Precast Concrete Ltd, Queen St., Banagher, Co. Offaly. (Continued on next page)	Cattle > 200kg	A3	6	5.0, 4.4, 4.11, 3.95, 3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 1.2	180	Standard
	Cattle > 200kg	A3	2	4.4, 4.11, 3.95, 3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 0.4	180	Standard
	Cattle > 200kg	A3	6	4.4, 4.11, 3.95, 3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 1.2	180	Heavy Duty
	Cattle > 200kg	A3	4	4.4, 4.11, 3.95, 3.8 / 0.8	180	Heavy Duty
	Cattle > 200kg	A3	3	4.4, 4.11, 3.95, 3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 0.6	180	Heavy Duty
	Cattle > 200kg	A3	6	5.0, 4.4 / 1.2	230	Heavy Duty
	Cattle > 200kg	A3	4	5.0, 4.4 / 0.8	230	Heavy Duty
	Cattle > 200kg	A3	3	5.0, 4.4 / 0.6	230	Heavy Duty
	Calves (will carry cattle >200kg)	A1	8	3.8, 3.65, 3.5, 3.35, 3.2, 3.04 / 1.2	180	Standard
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 1.3 (centre ope)	180	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 1.3 (centre ope)	180	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 1.2 (end ope)	180 / 200	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.4, 4.11, 3.95 / 1.4 (end ope)	180	Heavy Duty
	Slab	Slab	Manhole Slab	4.4, 4.11, 3.95 / 1.4 (centre ope)	180	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.0 / 1.4 (end ope)	225	Heavy Duty
	Slab	Slab	Manhole Slab	5.03, 4.415 / 1.4 (centre ope)	230	Heavy Duty
	Cattle > 200kg	A3	Scraper Slat	3.8, 3.65, 3.5, 3.35, 3.2, 3.04, 2.9, 2.75, 2.6, 2.44, 2.3 / 1.2	180 / 220	Heavy Duty
Cattle > 200kg	A3	Scraper Slat	5.03, 4.75, 4.4, 4.3 / 1.2	180 / 230	Heavy Duty	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Banagher Precast Concrete Ltd, Queen St., Banagher, Co. Offaly. (Continued)	Slab	Slab	Slab	5.03 to 4.415 / 1.2	225	Heavy Duty
	Slab	Slab	Slab	5.03 to 4.415 / 1.07	225	Heavy Duty
	Slab	Slab	Slab	5.03 to 4.415 / 0.9	225	Heavy Duty
	Slab	Slab	Slab	5.03 to 4.415 / 0.75	225	Heavy Duty
	Slab	Slab	Slab	5.03 to 4.415 / 0.6	225	Heavy Duty
	Slab	Slab	Slab	5.03 to 4.415 / 0.4	225	Heavy Duty
	Slab	Slab	Slab	Up to 4.415 / 1.2	180	Heavy Duty
	Slab	Slab	Slab	Up to 4.415 / 1.07	180	Heavy Duty
	Slab	Slab	Slab	Up to 4.415 / 0.9	180	Heavy Duty
	Slab	Slab	Slab	Up to 4.415 / 0.75	180	Heavy Duty
	Slab	Slab	Slab	Up to 4.415 / 0.6	180	Heavy Duty
	Slab	Slab	Slab	Up to 4.415 / 0.4	180	Heavy Duty
	Beam	Beam	Beam	Up to 4.415 / 0.6	180	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 4.415 / 0.4	180	
	Beam	Beam	Beam	5.03 to 4.415 / 0.6	225	
	Beam	Beam	Beam	5.03 to 4.415 / 0.4	225	
	Beam	Beam	Beam	Up to 3.6 / 0.225	300	
	Beam	Beam	Beam	Up to 3.8 / 0.3	300	Suitable to support HD slats, slats and mass concrete walls
	Beam	Beam	Beam	Up to 4.3 / 0.225	400	
	Beam	Beam	Beam	Up to 4.5 / 0.300	400	
Beam	Beam	Beam	Up to 5.18 / 0.3	400	Suitable to support HD slats, slats and mass concrete walls and stanchion	
Beam	Beam	Beam	Up to 4.7 / 0.5	400		



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Booth Precast Products Ltd., Ballymullen, Abbeyleix, Co. Laois	Cattle > 200kg	A3	6	4.42, 3.81, 3.5, 3.2 / 1.17	200	Standard
	Cattle > 200kg	A3	6	4.42, 3.81, 3.5, 3.2 / 1.17	200	Heavy Duty
	Cattle > 200kg	A3	6	5.03 / 1.17	230	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.81, 3.5, 3.2 / 1.17 (centre ope)	200	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.42 / 1.17 (end ope)	200	Heavy Duty
	Slab	Slab	Manhole Slab	3.81, 3.5, 3.2 / 1.17 (centre ope)	200	Heavy Duty
Casey Enterprises, Coolishall, Gorey. Co. Wexford	Cattle > 200kg	A3	6	3.81, 3.505, 3.2 / 1.2	190	Heavy Duty
	Cattle > 200kg	A3	4	3.81, 3.505, 3.2 / 0.77	190	Heavy Duty
	Cattle > 200kg	A3	3	3.81, 3.505, 3.2 / 0.57	190	Heavy Duty
	Cattle > 200kg	A3	2	3.81, 3.505, 3.2 / 0.37	190	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.505, 3.2 / 1.5 (centre & end ope)	190	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.505, 3.2 / 1.5 (centre & end ope)	190	Heavy Duty
	Cattle > 200kg	A3	6	5.03, 4.42 / 1.2	215	Heavy Duty
	Cattle > 200kg	A3	4	5.03, 4.42 / 0.77	215	Heavy Duty
	Cattle > 200kg	A3	3	5.03, 4.42 / 0.57	215	Heavy Duty
	Cattle > 200kg	A3	2	5.03, 4.42 / 0.37	215	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.03, 4.42 / 1.5 (centre & end ope)	215	Heavy Duty
	Slab	Slab	Manhole Slab	5.03, 4.42 / 1.5 (centre & end ope)	215	Heavy Duty
Cassidy Brothers Topmix Ltd, Magheraboy, Letterkenny, Co. Donegal	Cattle > 200kg	A3	6	3.96, 3.8, 3.5, 3.2 / 1.2	190	HD and Standard
	Slab	Slab	Manhole Slab	3.96, 3.8, 3.5, 3.2 / 1.5	200	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Concrete Manufacturing Co. Ltd, Ballygaddy Road, Tuam, Co. Galway	Cattle > 200kg	A2, A3	6	4.4, 3.8, 3.5, 3.2, 2.5 / 1.2	180	Standard
	Cattle > 200kg	A2, A3	4	4.4, 3.8, 3.5, 3.2, 2.5 / 0.8	180	Standard
	Cattle > 200kg	A2, A3	3	4.4, 3.8, 3.5, 3.2, 2.5 / 0.6	180	Standard
	Cattle > 200kg	A2, A3	2	4.4, 3.8, 3.5, 3.2, 2.5 / 0.4	180	Standard
	Cattle > 200kg	A2, A3	6	4.4, 3.8, 3.5, 3.2 / 1.2	180	Heavy Duty
	Cattle > 200kg	A2, A3	4	4.4, 3.8, 3.5, 3.2 / 0.8	180	Heavy Duty
	Cattle > 200kg	A2, A3	3	4.4, 3.8, 3.5, 3.2 / 0.6	180	Heavy Duty
	Slab	Slab	Manhole Slab	4.4, 3.8, 3.5, 3.2, 2.5 / 1.4 (centre ope)	190	Heavy Duty
	Slab	Slab	Solid Slab	4.4, 3.8, 3.5, 3.2, 2.5 / 1.38	190	Heavy Duty
Beam	Beam	Beam	4.4, 3.8, 3.5, 3.2, 2.5 / 0.32, 0.37, 0.46	190	Suitable for mass concrete walls.	
Corbett Concrete Products Ltd., Mooneraha, Cahir, Co. Tipperary (Continued on next page)	Cattle > 200kg	A3	6	5.0 / 1.2	190	HD and Standard
	Cattle > 200kg	A3	6	5.0, 4.4, / 1.2	200	Heavy Duty
	Cattle > 200kg	A3	6	5.0, 4.4, / 1.2	240	Heavy Duty
	Cattle > 200kg	A3	6	3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 1.2	190	Heavy Duty
	Cattle > 200kg	A3	6	4.4 / 1.2	190	Heavy Duty
	Cattle > 200kg	A3	6	4.4 / 1.2	230	Heavy Duty
	Cattle > 200kg	A3	4	5.0 / 0.8	240	Standard
	Cattle > 200kg	A3	4	4.4, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 0.8	190	Standard
	Cattle > 200kg	A3	4	4.4 / 0.8	230	Standard
	Cattle > 200kg	A3	3	5.0 / 0.64	240	Standard
	Cattle > 200kg	A3	3	5.0, 4.4, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 0.64	190	Standard
	Cattle > 200kg	A3	3	4.4 / 0.64	230	Standard
	Cattle > 200kg	A3	2	5.0 / 0.4	240	Standard
	Cattle > 200kg	A3	2	5.0, 4.4, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 0.4	190	Standard
Cattle > 200kg	A3	2	4.4 / 0.4	230	Standard	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Corbett Concrete Products Ltd., Mooneraha, Cahir, Co. Tipperary	Cattle > 200kg	A3	Scraper Slat	3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 1.2	190 / 230	Heavy Duty
	Cattle > 200kg	A3	Scraper Slat	5.03, 4.4 / 1.3	230/290	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 1.4 (end ope)	190	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 1.4 (end ope)	190	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.0, 4.4 / 1.4 (end ope)	200 / 235	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.0, 4.4 / 1.2 (end ope)	200 / 240	Heavy Duty
	Slab	Slab	Manhole Slab	5.0, 4.4 / 1.4 (end ope)	200 / 235	Heavy Duty
	Slab	Slab	Manhole Slab	5.0, 4.4 / 1.2 (end ope)	200 / 240	Heavy Duty
	Slab	Slab	Slab	4.1, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 1.2	190	Heavy Duty
	Slab	Slab	Slab	Up to 3.8 / 0.37	190	Heavy Duty
	Slab	Slab	Slab	5.0, 4.7, 4.4 / 1.2	230	Heavy Duty
	Slab	Slab	Slab	Up to 5.0 / 0.610	230	Heavy Duty
	Beam	Beam	Beam	Up to 5.3 / 0.3	250	Suitable for mass concrete walls only.
	Beam	Beam	Beam	Up to 5.3 / 0.3	300	Suitable to support slats, mass concrete walls
	Beam	Beam	Beam	Up to 5.3 / 0.3	430	Suitable to support HD slats, slabs and mass concrete walls
Beam	Beam	Beam	Up to 5.3 / 0.56	430		



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Creagh Concrete Products Ltd., Blackpark Road, Toomebridge, Co Antrim, BT41 3SL (Continued on next page)	Cattle > 200kg	A3	6	2.1 to 4.250 / 1.2	180	Standard
	Cattle > 200kg	A3	5	2.1 to 4.250 / 1.005	180	Standard
	Cattle > 200kg	A3	4	2.1 to 4.250 / 0.805	180	Standard
	Cattle > 200kg	A3	3	2.1 to 4.250 / 0.605	180	Standard
	Cattle > 200kg	A3	6	2.1 to 3.95 / 1.2	250	Heavy Duty
	Cattle > 200kg	A3	6	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.2	220	Standard
	Cattle > 200kg	A3	5	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.0	220	Standard
	Cattle > 200kg	A3	4	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 0.8	220	Standard
	Cattle > 200kg	A3	3	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 0.6	220	Standard
	Cattle > 200kg	A3	6	4.4, 4.5, 4.6, 4.7, 4.8, 4.9 / 1.2	180 / 220	Standard
	Cattle > 200kg	A3	Manhole Slat	2.1 to 4.250 / 1.2 (centre ope)	180 / 300	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.2 (centre ope)	210 / 300	Heavy Duty
	Slab	Slab	Manhole Slab	2.1 to 4.250 / 1.2 (centre ope)	180 / 300	Heavy Duty
	Slab	Slab	Manhole Slab	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.2 (centre ope)	210 / 300	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.2 (centre ope)	200 / 290	Heavy Duty
	Slab	Slab	Manhole Slab	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.2 (centre ope)	200 / 290	Heavy Duty
	Slab	Slab	Manhole Slab	2.1 to 4.25 / 1.5 (centre ope)	200	Heavy Duty
	Cattle > 200kg	A3	8	2.1 to 3.950 / 1.2	170	Standard
	Cattle > 200kg	A3	7	2.1 to 3.950 / 1.045	170	Standard
	Cattle > 200kg	A3	6	2.1 to 3.950 / 0.9	170	Standard
Sows & Sheep	B3	3	1.219, 1.524, 1.829, 2.134, 2.44 / 0.33	100	Standard	
Sows & Sheep	B3	2	1.219, 1.524, 1.829, 2.134, 2.44 / 0.21	100	Standard	
Sows & Sheep	B3	10	2.1, 2.4, 2.7, 3.0, 3.2, 3.5, 3.65 / 1.2	150	Standard	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Creagh Concrete Products Ltd., Blackpark Road, Toomebridge, Co Antrim, BT41 3SL (Continued)	Sows & Sheep	B3	9	2.1, 2.4, 2.7, 3.0, 3.2, 3.5, 3.65 / 1.075	150	Standard
	Sows & Sheep	B3	8	2.1, 2.4, 2.7, 3.0, 3.2, 3.5, 3.65 / 0.955	150	Standard
	Sows & Sheep	B3	7	2.1, 2.4, 2.7, 3.0, 3.2, 3.5, 3.65 / 0.84	150	Standard
	Sows & Sheep	B3	6	2.1, 2.4, 2.7, 3.0, 3.2, 3.5, 3.65 / 0.72	150	Standard
	Sows & Sheep	B3	5	2.1, 2.4, 2.7, 3.0, 3.2, 3.5, 3.65 / 0.6	150	Standard
	Slab	Slab	Solid Slab	Up to 4.25 / 1.2	180	Heavy Duty
	Slab	Slab	Solid Slab	Up to 4.25 / 1.5	200	Heavy Duty
	Slab	Slab	Solid Slab	4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 1.2	220	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 4.5m with 150mm structural screed (37N) with A393 mesh	150	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 6.0m with 150mm structural screed (37N) with A393 mesh	200	Heavy Duty
	Beam	Beam	Beam	2.1 to 5.0 / 0.3	0.2	Suitable for mass concrete walls only
	Beam	Beam	Beam	2.1 to 3.950 / 0.3	300	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	3.950, 4.1, 4.250, 4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0 / 0.3	400	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Croom Concrete Ltd., Off Church Road, Croom, Co. Limerick. (Continued on next page)	Cattle > 200kg	A3	7	3.8 / 1.25	180	Heavy Duty
	Cattle > 200kg	A3	6	5.0, 4.4, / 1.25	220	Heavy Duty
	Cattle > 200kg	A3	4	5.0, 4.42, 4.113, 4.0, 3.8, 3.5, 3.2, 2.9, 2.6, 2.44, 4.4, / 0.80	225	Standard
	Cattle > 200kg	A3	3	5.0, 4.42, 4.113, 4.0, 3.8, 3.5, 3.2, 2.9, 2.6, 2.44, 4.4, / 0.60	225	Standard
	Cattle > 200kg	A3	2	5.0, 4.42, 4.113, 4.0, 3.8, 3.5, 3.2, 2.9, 2.6, 2.44, 4.4, / 0.4	225	Standard
	Cattle > 200kg	A3	4	3.8, 3.7, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 0.80	200	Standard
	Cattle > 200kg	A3	3	3.8, 3.7, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 0.60	200	Standard
	Cattle > 200kg	A3	2	3.8, 3.7, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 0.4	200	Standard
	Cattle > 200kg	A3	Scraper Slat	4.42, 4.113, 4.0, 3.8, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 1.2	220 / 200	Heavy Duty
	Slab	Slab	Manhole Slab	5.0, 4.42 / 1.2 (centre ope)	220 / 300	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.5, 3.2, 2.6, 2.4 / 1.2 (centre ope)	210	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.5, 3.2, 2.8, 2.6, 2.4 / 1.5 (end ope)	225	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.0, 4.4 / 1.2 (centre ope)	220 / 300	Heavy Duty
	Cattle > 200kg	A3	Scraper Slat	3.7, 3.6, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 1.25	200	Heavy Duty
	Cattle > 200kg	A3	6	3.8, 3.5, 3.2, 2.8, 2.6, 2.4 / 1.25	195	Heavy Duty
	Cattle > 200kg	A3	6	4.4, / 1.25	175	Heavy Duty
	Cattle > 200kg	A3	6	4.0, 3.8, 3.7, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 1.25	200	Heavy Duty
	Cattle > 200kg	A3	6	5.0, 4.42, 4.4, 4.113, 4.0, 3.8, 3.5, 3.2, 2.9, 2.6, 2.44, 2.4 / 1.25	250	Heavy Duty
	Cattle > 200kg	A3	6	5.02, 4.42 / 1.2	220	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.03 / 1.2 (end ope)	220	Heavy Duty
Cattle > 200kg	A3	Scraper Slat	5.03, 5.0 / 1.2	230	Heavy Duty	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Croom Concrete Ltd., Off Church Road, Croom, Co. Limerick. (Continued)	Slab	Slab	Hollowcore slab	Up to 5.0 / 1.2 with 75mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 4.63 / 1.2 with 150mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 4.2 / 1.2 with 100mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 3.6 / 1.2 with 100mm concrete screed	150	Heavy Duty
	Beam	Beam	Beam	Up to 5.18 / 0.3	250	Suitable for mass concrete walls only
	Beam	Beam	Beam	Up to 5.03 / 0.3	230	
	Beam	Beam	Beam	From 2.4 to 5.03 / 0.5	230	
	Beam	Beam	Beam	Up to 3.35 / 0.3	300	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	Up to 3.66 / 0.4	300	
	Beam	Beam	Beam	Up to 3.81 / 0.4	350	
	Beam	Beam	Beam	Up to 4.42 / 0.3	400	
	Beam	Beam	Beam	Up to 2.95 / 0.5	400	
	Beam	Beam	Beam	Up to 5.03 / 0.5	450	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Cross Concrete Flooring Ltd., Fawney Road, Drumahoe, L'Derry BT47 3NB	Cattle > 200kg	A3	6	4.25, 3.95, 3.8, 3.65, 3.35, 3.05 / 1.2	180	Standard
	Cattle > 200kg	A3	6	5.0, 4.8, 4.6, 4.4 / 1.2	225	Standard
	Cattle > 200kg	A3	8	3.95 / 1.2	180	Standard
	Slab	Slab	Manhole Slab	4.25, 3.95, 3.8, .65, 3.5, 3.4, 3.2, 2.9, 2.7, 2.6, 2.45, 2.2 / 1.8	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 3.95 / 1.2 with 75mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 3.95 / 0.82 with 75mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 3.95 / 0.48 with 75mm concrete screed	200	Heavy Duty
	Beam	Beam	Beam	3.06, 2.8, 2.6, 2.4, 2.2, 2.0, 1.8, 1.6, 1.4 / 0.3	300	Suitable to support HD slats, slabs and mass concrete walls
Beam	Beam	Beam	4.0, 3.8, 3.6, 3.4, 3.2, 3.0, 2.8, 2.6, 2.4, 2.0 / 0.3	400		
Declan Fennell Contractor Ltd, Brisla, Cooraclare, Kilrush, Co. Clare	Cattle > 200kg	A3	6	4.42 / 1.17	190	Standard
	Cattle > 200kg	A3	6	3.81 / 1.17	190	Heavy Duty
	Cattle > 200kg	A3	6	5.03 / 1.17	240	Heavy Duty
	Slab	Slab	Manhole Slab	5.04, 4.42, 3.8 / 1.37 (end ope)	240	Heavy Duty
	Beam	Beam	Beam	4.42, 3.8 / 0.42	200	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	5.029 / 0.5	255	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Doyle Concrete, Hugginstown, Co. Kilkenny	Cattle > 200kg	A3	6	3.8, 3.5, 3.2 / 1.3	150	Standard
	Cattle > 200kg	A3	6	4.42, 3.8, 3.2 / 1.3	190	Heavy Duty
	Cattle > 200kg	A3	6	5.03 / 1.3	200	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.5, 3.2 / 1.5 (end ope)	160	Heavy Duty
	Cattle>200kg	A3	Manhole Slat	5.03, 4.42, 3.8, 3.5, 3.2 / 1.5 (centre ope)	200 / 375	Heavy Duty
	Slab	Slab	Manhole Slab	5.03, 4.42, 3.8, 3.5, 3.2 / 1.3 (end ope)	250	Heavy Duty
	Slab	Slab	Slab	5.03, 4.42, 3.8, 3.5, 3.2 / 1.3	250	Heavy Duty
	Beam	Beam	Beam	Up to 3.965 / 0.475	150	Suitable for mass concrete walls only
	Beam	Beam	Beam	Up to 5.185 / 0.475	200	
	Beam	Beam	Beam	Up to 3.0 / 0.310	310	Suitable to support slats, mass concrete walls
Beam	Beam	Beam	Up to 5.5 / 0.56	405		
Drumderry Precast, Drumderry, Bunclody, Co. Wexford. (Continued on next page)	Cattle > 200kg	A2, A3	7	3.8, 3.5, 3.2 / 1.35	190	Standard
	Cattle > 200kg	A2, A3	7	3.8, 3.5, 3.2 / 1.35	190	Heavy Duty
	Cattle > 200kg	A2, A3	6	4.42 / 1.25	230	Heavy Duty
	Cattle> 200kg	A2, A3	6	5.6, 5.0 / 1.25	250	Heavy Duty
	Cattle > 200kg	A2, A3	6	6.2 / 1.25	260	Heavy Duty
	Cattle > 200kg	A2 / A3	Manhole slat	3.8, 3.5, 3.2 / 1.52 (centre & end ope)	190	Heavy Duty
	Cattle > 200kg	A2 / A3	Manhole slat	4.4 / 1.52 (centre & end ope)	230	Heavy Duty
	Cattle > 200kg	A2 / A3	Manhole slat	5.0 / 1.52 (centre & end ope)	250	Heavy Duty
	Slab	Slab	Manhole slab	3.8, 3.5, 3.2 / 1.52 (centre & end ope)	190	Heavy Duty
	Slab	Slab	Manhole slab	4.4 / 1.52 (centre & end ope)	230	Heavy Duty
	Slab	Slab	Manhole Slab	5.6, 5.0 / 1.52 (centre & end ope)	250	Heavy Duty
	Slab	Slab	Manhole Slab	6.2 / 1.52 (centre & end ope)	260	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 5.030 / 1.2 with 75mm or 100mm concrete screed	200	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Drumderry Precast, Drumderry, Bunclody, Co. Wexford. (Continued)	Slab	Slab	Hollowcore slab	Up to 6.25 / 1.2 with 75mm or 100mm concrete screed	250, 300	Heavy Duty
	Slab	Slab	Slab	Up to 4.42/2.4 with 75mm screed	150	Heavy Duty
	Slab	Slab	Slab	Up to 5.03/2.4 with 100mm screed	150	Heavy Duty
	Beam	Beam	Beam	Up to 3.81 / 0.3	190	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 4.42 / 0.3	230	
	Beam	Beam	Beam	Up to 5.63 / 0.3	250	
	Beam	Beam	Beam	Up to 6.25 / 0.3	260	
	Beam	Beam	Beam	Up to 4.0 / 0.3	300	Suitable to support slats on one side
	Beam	Beam	Beam	Up to 6.4 / 0.4	400	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	Up to 4.3 / 0.4	340	
	Beam	Beam	Beam	Up to 5.5 / 0.4	350	
	Beam	Beam	Beam	Up to 5.5 / 0.4	400	
Beam	Beam	Beam	Up to 5.5 / 0.6	450		
Ducon Concrete Ltd, Kanturk, Co. Cork	Slab	Slab	Hollowcore slab	3.81, 3.5, 3.2, 2.59 / 0.3 to 1.2 with 100mm concrete screed and A393 mesh	200	Heavy Duty
	Slab	Slab	Hollowcore slab	4.42, 4.115 / 0.3 to 1.2 with 100mm concrete screed and A393 mesh	250	Heavy Duty
	Slab	Slab	Hollowcore slab	5.02, 4.725 / 0.3 to 1.0 with 100mm concrete screed and A393 mesh	300	Heavy Duty
Erne Cast Ltd, 20 Gorteen road, Derrylin, Co. Fermanagh BT92 9AL	Slab	Slab	Hollowcore slab	Up to 4.6/1.2 with 100mm screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 5.3/1.2 with 100mm screed	250	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Flood Precast Ltd, Hilltown, Oldcastle, Co. Meath	Slab	Slab	Slab	4.8 to 5.5 / up to 2.4 with 150mm concrete screed	150	Heavy Duty
	Slab	Slab	Slab	5.55 to 5.9 / up to 2.4 with 150mm concrete screed	175	Heavy Duty
	Slab	Slab	Slab	5.95 to 6.3 / up to 2.4 with 175mm concrete screed	200	Heavy Duty
	Beam	Beam	Beam	Up to 3.0 / 0.3	400	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	Up to 3.0 / 0.3	450	
Fogarty Concrete Ltd., (Campion Slats) Gurrane, Templederry, Nenagh, Co. Tipperary (Continued on next page)	Cattle > 200kg	A3	7	3.8,3.5,3.2, 2.89, 2.6, 2.32 / 1.3	190	HD and Standard
	Cattle > 200kg	A3	2	3.8,3.5,3.2, 2.6 / 0.345	190	Heavy Duty
	Cattle > 200kg	A3	3	3.8,3.5,3.2, 2.6 / 0.540	190	Heavy Duty
	Cattle > 200kg	A3	Scraper Slat	3.8 / 1.3	190	Heavy Duty
	Cattle > 200kg	A3	Manhole slat	3.8,3.5,3.2 / 1.37 (end ope)	190	Heavy Duty
	Slab	Slab	Manhole slab	3.8,3.5,3.2 / 1.37 (end ope)	190	Heavy Duty
	Cattle > 200kg	A3	Manhole slat	3.2 / 1.22 (end and centre ope)	190	Heavy Duty
	Slab	Slab	Manhole slab	3.2 / 1.22	190	Heavy Duty
	Cattle > 200kg	A3	7	4.4 / 1.3	225	HD and Standard
	Cattle > 200kg	A3	2	4.4 / 0.345	225	Heavy Duty
	Cattle > 200kg	A3	3	4.4 / 0.540	225	Heavy Duty
	Cattle > 200kg	A3	Scraper Slat	4.4 / 1.3	225	Heavy Duty
	Cattle > 200kg	A3	Manhole slat	4.4 / 1.37 (end ope)	225	Heavy Duty
	Slab	Slab	Manhole Slab	4.4 / 1.37 (end ope)	225	Heavy Duty
	Cattle > 200kg	A3	6	5.03 / 1.2	200	HD and Standard
	Cattle > 200kg	A3	Manhole slat	5.03 / 1.45 (end ope)	200	Heavy Duty
	Slab	Slab	Manhole Slab	5.03 / 1.37 (end ope)	200	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Fogarty Concrete Ltd., (Campion Slats) Gurrane, Templederry, Nenagh, Co. Tipperary (Continued)	Slab	Slab	Manhole Slab	3.2 / 1.24 (offset centre ope)	190	Heavy Duty
	Slab	Slab	Slab	4.9, 4.42, 3.8, 3.5, 3.2 / 1.2	200	Heavy Duty
	Slab	Slab	Slab	5.03, 4.4, 3.8, 3.2 / 1.2	200	Heavy Duty
	Slab	Slab	Slab	6.0, 5.5 / 1.2 with 75mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	5.03 / 1.3	250	Heavy Duty
	Beam	Beam	Beam	Up to 5.18 / 0.3	200	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 5.18 / 0.457	200	Suitable to support slats on both sides and mass concrete walls
	Beam	Beam	Beam	Up to 5.18 / 0.512	406	
	Beam	Beam	Beam	Up to 5.18 / 0.3	400	Suitable to support HD slats, slabs and mass concrete walls
Beam	Beam	Beam	Up to 5.18 / 0.4	400	Suitable to support HD slats, slabs and mass concrete walls	
Hanlon Concrete Products Ltd., Lowtown, Robertstown, Naas, Co. Kildare	Cattle > 200kg	A2, A3	6	4.1, 3.8, 3.5, 3.2 / 1.23	190	Heavy Duty
	Cattle > 200kg	A2, A3	Manhole Slat	4.1, 3.8, 3.5, 3.2 / 1.23	250 / 190	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Harrington Concrete & Quarries, Kilkelly, Co. Mayo	Cattle > 200kg	A3	6	4.4, 3.8, 3.5, 3.2 / 1.2	180	Heavy Duty
	Cattle > 200kg	A3	3	4.4, 3.8, 3.5, 3.2 / 0.6	180	Standard
	Cattle > 200kg	A3	2	4.4, 3.8, 3.5, 3.2 / 0.4	180	Standard
	Cattle > 200kg	A3	Manhole Slat	4.4, 3.8, 3.5, 3.2 / 1.3 (end ope)	180	Heavy Duty
	Cattle > 200kg	A3	Manhole Slab	4.4, 3.8, 3.5, 3.2 / 1.3 (end ope)	180	Heavy Duty
	Cattle > 200kg	A3	6	5.0 / 1.2	220	Heavy Duty
	Cattle > 200kg	A3	3	5.0 / 0.6	220	Standard
	Cattle > 200kg	A3	3	4.4 / 0.6	190	Heavy Duty
	Cattle > 200kg	A3	2	5.0 / 0.4	220	Standard
	Slab	Slab	Manhole Slab	5.0 / 1.3 (end ope)	220	Heavy Duty
	Beam	Beam	Beam	4.4, 3.8, 3.5, 3.2 / 0.6	180	Suitable to support mass concrete walls
Beam	Beam	Beam	5.0 / 0.6	220		
Hughes Precast Products Ltd., 338 Monaghan Road, Middletown, Co. Armagh BT60 4JQ	See listing for Wright Quarry Products Ltd. for acceptable range of slats.					



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Kilcarrig Quarries Ltd, Kilcarrig Heights, Bagenalstown, Co. Carlow	Cattle > 200kg	A3	6	3.81, 3.505, 3.2 / 1.2	185	Heavy Duty
	Cattle > 200kg	A3	4	3.81, 3.505, 3.2 / 0.8	185	Heavy Duty
	Cattle > 200kg	A3	3	3.81, 3.505, 3.2 / 0.6	185	Heavy Duty
	Cattle > 200kg	A3	2	3.81, 3.505, 3.2 / 0.4	185	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.81, 3.505, 3.2 / 1.5 (centre ope)	185	Heavy Duty
	Cattle > 200kg	Slab	Manhole Slab	3.81, 3.505, 3.2 / 1.5 (centre ope)	185	Heavy Duty
	Cattle > 200kg	A3	6	4.42 / 1.29	230	Heavy Duty
	Cattle > 200kg	A3	4	4.42 / 0.86	230	Heavy Duty
	Cattle > 200kg	A3	3	4.42 / 0.645	230	Heavy Duty
	Cattle > 200kg	A3	2	4.42 / 0.43	230	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.42 / 1.5 (centre ope)	230	Heavy Duty
	Cattle > 200kg	Slab	Manhole Slab	4.42 / 1.5 (centre ope)	230	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.42 / 1.5 (centre ope)	230 / 330	Heavy Duty
	Cattle > 200kg	Slab	Manhole Slab	4.42 / 1.5 (centre ope)	230 / 330	Heavy Duty
	Cattle > 200kg	A3	6	5.03 / 1.29	250	Heavy Duty
	Cattle > 200kg	A3	4	5.03 / 0.86	250	Heavy Duty
	Cattle > 200kg	A3	3	5.03 / 0.645	250	Heavy Duty
	Cattle > 200kg	A3	2	5.03 / 0.43	250	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.03 / 1.5 (centre ope)	250	Heavy Duty
	Cattle > 200kg	Slab	Manhole Slab	5.03 / 1.5 (centre ope)	250	Heavy Duty
Cattle > 200kg	A3	Manhole Slat	5.03 / 1.5 (centre ope)	250 / 350	Heavy Duty	
Cattle > 200kg	Slab	Manhole Slab	5.03 / 1.5 (centre ope)	250 / 350	Heavy Duty	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Liam Armstrong Concrete Products Ltd., Garracloon, Cloghans, Ballina, Co. Mayo	Cattle > 200kg	A2, A3	6	4.4, 3.8, 3.5, 3.2 / 1.2	185	Heavy Duty
	Cattle > 200kg	A3	2	4.4, 3.8, 3.5, 3.2 / 0.4	190	Standard
	Cattle > 200kg	A3	3	4.4, 3.8, 3.5, 3.2 / 0.64	190	Standard
	Slab	Slab	Manhole slab	4.4, 3.8, 3.5, 3.2 / 1.3 (end ope)	190	Heavy Duty
	Slab	Slab	Slab	4.4, 3.8, 3.5, 3.2 / 1.24	190	Heavy Duty
	Beam	Beam	Beam	4.41, 3.8, 3.5, 3.2 / 0.4	190	Suitable for mass concrete walls only.
	Beam	Beam	Beam	4.570 / 0.3	450	Suitable to support slats on both sides and mass concrete walls
Longford Precast & Prestressed Concrete Products Ltd., Cloonaugh, Drumlish, Co. Longford (Continued on next page)	Cattle > 200kg	A3	6	2.44, 1.52 / 1.2	160	Standard
	Cattle > 200kg	A3	1	3.2, 3.05, 2.57, 2.44 / 0.14	180	Standard
	Cattle > 200kg	A3	2	4.12, 3.96, 3.82, 3.66, 3.5, 3.35, 3.18, 3.05, 2.59, 2.44, 2.32, 2.14, 2.01, 1.83 / 0.4	190	Standard
	Cattle > 200kg	A3	3	4.12, 3.96, 3.82, 3.66, 3.5, 3.35, 3.18, 3.05, 2.59, 2.44, 2.32, 2.14, 2.01, 1.83 / 0.6	190	Standard
	Cattle > 200kg	A3	4	4.12, 3.96, 3.82, 3.66, 3.5, 3.35, 3.18, 3.05, 2.59, 2.44, 2.32, 2.14, 2.01, 1.83 / 0.8	190	Standard
	Cattle > 200kg	A3	6	5.0, 4.87, 4.4, 4.2 / 1.2	215	Heavy Duty
	Cattle > 200kg	A3	2	5.02, 4.88, 4.41, 4.27, 4.12 / 0.4	210	Standard
	Cattle > 200kg	A3	3	5.02, 4.88, 4.41, 4.27, 4.12 / 0.6	210	Standard
	Cattle > 200kg	A3	4	5.02, 4.88, 4.41, 4.27, 4.12 / 0.8	210	Standard
	Cattle > 200kg	A3	7	4.12, 3.96, 3.82, 3.66, 3.50, 3.35, 3.18, 3.05, 2.57, 2.44, / 1.4	190	Standard



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Longford Precast & Prestressed Concrete Products Ltd., Cloonaugh, Drumlish, Co. Longford (Continued on next page)	Cattle > 200kg	A3	7	3.96, 3.82, 3.66, 3.50, 3.35, 3.18, 3.05, 2.57, 2.44, / 1.4	190	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.96, 3.82, 3.66, 3.50, 3.35 / 1.4 (end ope)	190	Heavy Duty
	Slab	Slab	Manhole Slab	3.96, 3.82, 3.66, 3.50, 3.35 / 1.4 (end ope)	190	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.015, 4.875, 4.405, 4.27, / 1.4 (end ope)	215	Heavy Duty
	Slab	Slab	Manhole Slab	5.015, 4.875, 4.405, 4.27, / 1.4 (end ope)	215	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.12, 3.96, 3.82 / 1.4 (end ope)	190 / 220	Heavy Duty
	Slab	Slab	Manhole Slab	4.12, 3.96, 3.82 / 1.4 (end ope)	190 / 220	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.4, 4.27, 4.12, 3.96, 3.82 / 1.4	210	Heavy Duty
	Slab	Slab	Manhole Slab	4.4, 4.27, 4.12, 3.96, 3.82 / 1.4	210	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.2, 3.05, 2.57, 2.4 / 1.4 (centre ope)	190	Heavy Duty
	Slab	Slab	Manhole Slab	3.18, 3.05, 2.57, 2.4 / 1.4 (end & centre ope)	190	Heavy Duty
	Slab	Slab	Manhole Slab	5.03, 4.88, 4.41 / 1.4 (centre ope)	210	Heavy Duty
	Cattle>200kg	A3	6	5.03, 4.87, 4.4 / 1.2	210	HD and Standard
	Slab	Slab	Slab	3.96, 3.81, 3.66, 3.5, 3.35, 3.18, 3.05, 2.57, 2.44, 2.32, 2.13, 2.01, 1.83 / 0.97	190	Heavy Duty
	Slab	Slab	Slab	5.0, 4.87, 4.4, 4.27, 4.12, 3.96, 3.81, 3.66, 3.5, 3.35, 3.18, 3.05, 2.57, 2.44 / 0.98	215	Heavy Duty
	Beam	Beam	Beam	Up to 4.11 / 0.3	190	Suitable for mass concrete walls only
	Beam	Beam	Beam	Up to 4.11 / 0.5	190	
	Beam	Beam	Beam	Up to 5.03 / 0.3	215	
	Beam	Beam	Beam	Up to 5.03 / 0.5	215	
	Beam	Beam	Beam	Up to 4.8 / 0.3	300	Suitable for mass concrete walls and slats
Beam	Beam	Beam	Up to 4.8 / 0.4	300		
Beam	Beam	Beam	Up to 4.8 / 0.5	300	Suitable to support	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Longford Precast & Prestressed Concrete Products Ltd., Cloonaugh, Drumlish, Co. Longford (Continued)	Beam	Beam	Beam	Up to 6.0 / 0.4	400	HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	Up to 6.0 / 0.4	460	
	Sows & Sheep	B3	11	2.93, 2.75, 2.62, 2.44, 2.32, 2.14, 2.01, 1.83, 1.71, 1.52, 1.37, 1.22, 1.11, 0.92 / 1.1	100	Standard
	Sows & Sheep	B3	11	2.32, 2.14, 2.01, 1.83, 1.71, 1.52, 1.37, 1.22, 1.10, 0.92 / 1.2	75	Standard
	Sows & Sheep	B3	10	3.96, 3.82, 3.66, 3.50, 3.35, 3.18, 3.05, 2.93, 2.75, 2.62, 2.44, 2.32, 2.14, 2.01, 1.83 / 1.2	140	Standard
	Sows & Sheep	B3	8	4.27, 4.12, 3.96, 3.82, 3.66, 3.5, 3.35, 3.18 / 1.2	140	Standard
	Sows & Sheep	B3	6	1.22, 1.1, 0.92 / 0.6	75	Standard
	Sows & Sheep	B3	3	2.44, 2.32, 2.14, 2.01. 1.83 / 0.3	100	Standard
	Sows & Sheep	B3	3	2.32, 2.14, 2.01, 1.83, 1.71, 1.52, 1.37, 1.22, 1.10, 0.92 / 0.29	75	Standard
Maxwell Concrete, 22 Folliard Road, Castleberg, Co. Tyrone BT81 7JW	Cattle > 200kg	A3	6	3.94, 3.79, 3.64, 3.33, 3.18, 3.03, 2.87, 2.72, 2.57, 2.41, 2.29, 2.12 / 1.06	190	H D and standard
	Slab	Slab	Manhole Slab	3.94, 3.79, 3.64, 3.33, 3.18, 3.03, 3.87, 2.72, 2.57, 2.41, 2.29, 2.12 / 1.06 (centre ope)	190	Heavy Duty
	Slab	Slab	Slab	3.96, 3.66, 3.35, 3.05, 2.75, 2.45, 2.13 / 1.06	200	Heavy Duty
	Beam	Beam	Beam	3.96, 3.66, 3.35, 3.05, 2.75, 2.45, 2.13 / 0.35	0.3	Suitable for mass concrete walls



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
B. McCaffrey & Sons Ltd., Knockninny Quarry, Derrylin, Co Fermanagh, BT92 9JU	Cattle > 200kg	A2, A3	6	5.0, 4.9, 4.7, 4.6, 4.4, 4.3 / 1.2	225	Heavy Duty
	Cattle > 200kg	A2, A3	6	4.0, 3.96, 3.8, 3.7, 3.5, 3.4, 3.2, 2.28 / 1.2	190	Heavy Duty
	Cattle > 200kg	A2, A3	6	3.2, 3.1, 2.9, 2.7, 2.6, 2.4 / 1.2	180	Heavy Duty
	Cattle > 200kg	A3	5	5.0, 4.9, 4.7, 4.6, 4.4, 4.3, 4.1 / 1.0	225	Standard
	Cattle > 200kg	A3	4	5.0, 4.9, 4.7, 4.6, 4.4, 4.3, 4.1 / 0.8	225	Standard
	Cattle > 200kg	A3	3	5.0, 4.9, 4.7, 4.6, 4.4, 4.3, 4.1 / 0.6	225	Standard
	Cattle > 200kg	A3	2	5.0, 4.9, 4.7, 4.6, 4.4, 4.3, 4.1 / 0.4	225	Standard
	Cattle > 200kg	A3	5	4.0, 3.8, 3.7, 3.5, 3.4 / 1.0	190	Standard
	Cattle > 200kg	A3	4	4.0, 3.8, 3.7, 3.5, 3.4 / 0.8	190	Standard
	Cattle > 200kg	A3	3	4.0, 3.96, 3.8, 3.7, 3.5, 3.4, 2.28 / 0.6	190	Standard
	Cattle > 200kg	A3	2	4.0, 3.8, 3.7, 3.5, 3.4 / 0.4	190	Standard
	Cattle > 200kg	A2, A3	Manhole Slat	5.0, 4.9, 4.7, 4.6, 4.4, 4.3 / 1.2 (centre ope)	225 / 300	Heavy Duty
	Cattle > 200kg	A2, A3	Manhole Slat	4.0, 3.8, 3.7, 3.5, 3.4 / 1.2 (centre ope)	190 / 300	Heavy Duty
	Cattle > 200kg	A2, A3	Manhole Slat	3.2, 3.1, 2.9, 2.7, 2.6, 2.4 / 1.2 (centre ope)	185 / 300	Heavy Duty
	Slab	Slab	Manhole Slab	5.0, 4.9, 4.7, 4.6 / 1.5 (centre ope)	250	Heavy Duty
	Slab	Slab	Manhole Slab	4.9, 4.4, 4.3, 4.125 / 1.5 (centre ope)	225	Heavy Duty
	Slab	Slab	Manhole Slab	4.9, 4.0, 3.96, 3.8, 3.7, 3.5, 3.4, 3.2, 2.9, 2.7, 2.6, 2.4, 2.28 / 1.5 (centre ope)	200	Heavy Duty
	Slab	Slab	Manhole Slab	2.28 / 1.4	200	Heavy Duty
	Beam	Beam	Beam	Up to 3.9 / 0.3	200	Suitable for mass concrete walls only
	Beam	Beam	Beam	Up to 4.7 / 0.3	225	
Beam	Beam	Beam	Up to 5.0 / 0.3	300		
Beam	Beam	Beam	Up to 3.9 / 0.3	300	Suitable for mass concrete walls and slats	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
McGrath Precast Concrete Ltd., O'Callaghan Mills, Co. Clare (Continued on next page)	Cattle > 200kg	A3	6	5.03, 4.4 / 1.2	210	Heavy Duty
	Cattle > 200kg	A3	3	5.03, 4.42 / 0.6	210 / 230	Heavy Duty
	Cattle > 200kg	A3	2	5.03, 4.42 / 0.4	210 / 230	Heavy Duty
	Cattle > 200kg	A3	Scraper Slat	5.03, 4.4 / 1.2	210 / 300	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.03, 4.4 / 1.2 (centre ope)	210 / 300	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.03, 4.4 / 1.2 (end ope)	215	Heavy Duty
	Slab	Slab	Manhole Slab	5.03, 4.4 / 1.2	210	Heavy Duty
	Cattle > 200kg	A3	6	4.42 / 1.2	210	Standard and HD
	Cattle > 200kg	A3	6	3.8, 3.5, 3.2 / 1.2	195	Standard and HD
	Cattle > 200kg	A3	3	3.8, 3.5, 3.2 / 0.6	195	Standard and HD
	Cattle > 200kg	A3	2	3.8, 3.5, 3.2 / 0.4	195	Standard and HD
	Cattle > 200kg	A3	Scraper Slat	3.8, 3.5, 3.2 / 1.2	195 / 300	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.8, 3.5, 3.2 / 1.2 (centre ope)	195 / 300	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.5, 3.2 / 1.2 (centre ope)	200	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.5, 3.2 / 1.5 (centre ope)	195	Heavy Duty
	Slab	Slab	Manhole Slab	5.03, 4.42 / 1.5 (centre ope)	210	Heavy Duty
	Slab	Slab	Slab	5.03, 4.42 / 1.2	210	Heavy Duty
	Slab	Slab	Slab	5.03, 4.42 / 0.4	210 / 230	Heavy Duty
	Slab	Slab	Slab	3.8, 3.5, 3.2 / 1.2	195	Heavy Duty
	Slab	Slab	Slab	3.8, 3.5, 3.2 / 0.4	195	Heavy Duty
Slab	Slab	Slab	5.85, 5.5, 5.25, 5.03, 4.42, 3.81, 3.5, 3.2 / 1.5 to 2.415, with min. 100mm concrete screed and A393 mesh	150	Heavy Duty	
Slab	Slab	Hollowcore slab	5.85, 5.5, 5.25, 5.03, 4.42, 3.81, 3.5, 3.2 / 1.0 to 1.2, with min. 100mm concrete screed and A393 mesh	150	Heavy Duty	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
McGrath Precast Concrete Ltd., O'Callaghan Mills, Co. Clare (Continued)	Slab	Slab	Hollowcore slab	5.85, 5.5, 5.25, 5.03, 4.42, 3.81, 3.5, 3.2 / 0.8 to 1.2, with min. 100mm concrete screed and A393 mesh	200	Heavy Duty
	Beam	Beam	Beam	1.5 / 0.25	400	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	4.0, 3.95, 3.8, 3.5, 3.2, 3.0, 2.5, 1.5 / 0.3	400	
	Beam	Beam	Beam	3.8 / 0.3	450	
	Beam	Beam	Beam	4.5, 4.2, 4.0 / 0.3	500	
	Beam	Beam	Beam	3.81, 3.5, 3.2 / 0.3	195	Suitable to support mass concrete walls
	Beam	Beam	Beam	5.03, 4.42 / 0.3	215	
	Sows and Sheep	B3	10	2.44, 1.8 / 1.2	100	Standard
Michael Cronin (Readymix) Ltd., Coolcaslagh, Killarney, Co. Kerry (Continued on next page)	Cattle > 200kg	A2, A3	6	5.0, 4.42 / 1.2	215	Standard and HD
	Cattle > 200kg	A2, A3	4	5.0, 4.42 / 0.82	210	Standard and HD
	Cattle > 200kg	A2, A3	3	5.0, 4.42 / 0.6	210	Standard and HD
	Cattle > 200kg	A2, A3	2	5.0, 4.42 / 0.4	210	Standard
	Cattle > 200kg	A2, A3	6	3.8, 3.2 / 1.2	190	Standard and HD
	Cattle > 200kg	A2, A3	4	3.8, 3.2 / 0.82	190	Standard and HD
	Cattle > 200kg	A2, A3	3	3.8, 3.2 / 0.6	190	Standard and HD
	Cattle > 200kg	A2, A3	2	3.8, 3.2 / 0.4	190	Standard
	Slab	Slab	Manhole Slab	5.0, 4.42/ 1.5 (centre ope)	220	Heavy Duty
	Cattle > 200kg	A2, A3	Manhole Slat	4.4, 3.8, 3.2 / 1.2 (centre ope)	210	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.2 / 1.5 (centre ope)	200	Heavy Duty
	Slab	Slab	Slab	Up to 5.0 / 1.5	210	Heavy Duty
	Beam	Beam	Beam	Up to 3.22 / 0.3	190	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 3.81 / 0.3	215	
	Beam	Beam	Beam	Up to 3.5 / 0.3	225	
Beam	Beam	Beam	Up to 5.0 / 0.3	400		



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Michael Cronin (Readymix) Ltd., Coolcaslagh, Killarney, Co. Kerry (Continued)	Beam	Beam	Beam	Up to 3.81 / 0.3	350	Suitable to support mass concrete walls and slats
	Beam	Beam	Beam	Up to 5.0 / 0.49	390	
John Murphy Concrete Ltd., t/a Murphy Concrete Products, Four Winds, Curragraigue, Enniscorthy, Co Wexford	Cattle > 200kg	A2 / A3	Scraper slat	2.4 / 1.2	200	Standard
Multicrete Agri Products Ltd., The Bower, Killygordan, Co. Donegal	Cattle > 200kg	A2	7	3.95, 3.80, 3.66, 3.35, 3.20, 3.05, 2.90, 2.75, 2.60, 2.45, 2.25, 2.10 / 1.2	180	Standard and HD
	Cattle > 200kg	A3	8	3.95, 3.80, 3.66, 3.35, 3.20, 3.05, 2.90, 2.75, 2.60, 2.45, 2.25, 2.10 / 1.2	180	Standard and HD
	Cattle > 200kg	A3	Manhole Slat	3.95, 3.80, 3.66, 3.35, 3.20, 3.05, 2.90, 2.75, 2.60, 2.45, 2.25, 2.10 / 1.2	180 / 250	Heavy Duty
	Beam	Beam	Beam	3.9 / 0.5	300	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam	3.9 / 0.3	300	Suitable to support mass concrete walls and slats
	Beam	Beam	Beam	3.9 / 0.3	180	Suitable to support mass concrete walls



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
O'Reilly Concrete, Kingscourt, Co. Cavan	Cattle > 200 kg	A3	6	3.9, 3.8, 3.5, 3.2, 1.37 / 1.12	180	Standard
	Cattle > 200 kg	A3	6	3.9, 3.8, 3.5, 3.2 / 1.12	180	Heavy Duty
	Cattle > 200 kg	A3	2	3.9, 3.8, 3.5, 3.2 / 0.345	180	Standard
	Cattle > 200 kg	A3	Manhole Slat	3.2 (centre ope)	180 / 190	Heavy Duty
	Cattle > 200 kg	A3	Manhole Slat	3.8, 3.5 / 1.12 (centre ope)	175 / 240	Heavy Duty
	Cattle > 200 kg	A3	Manhole Slat	3.9 / 1.12 (centre ope)	180 / 225	Heavy Duty
	Slab	Slab	Manhole slab	3.9, 3.8, 3.5, 3.2 / 1.12 (centre ope)	175/230	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 3.81 / 1.2, with min. 75mm concrete screed	150	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 5.40 / 1.2, with min. 75mm concrete screed	200	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 6.30 / 1.2, with min. 75mm concrete screed	250	Heavy Duty
	Slab	Slab	Hollowcore slab	Up to 7.00 / 1.2, with min. 75mm concrete screed	300	Heavy Duty
	Beam	Beam	Beam	Up to 3.8 / 0.3	190	Suitable to support mass concrete walls
	Beam	Beam	Beam	3.5, 3.4, 3.2, 3.1, 3.0 / 0.3	300	
	Beam	Beam	Beam	3.5, 3.4, 3.2, 3.1, 3.0 / 0.45	300	
Beam	Beam	Beam	Up to 3.9 / 300	300	Suitable to support mass concrete walls and slats	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
O'Rourke Bros Quarry Products Ltd., t/a Wexford Concrete, Poulregan, Castlebridge, Co. Wexford	Cattle > 200kg	A2 / A3	6	3.2 / 1.2	170	Standard and HD
	Cattle > 200kg	A2 / A3	6	3.8, 3.5 / 1.2	190	Standard and HD
	Cattle > 200kg	A2 / A3	6	4.4 / 1.2	200	Standard and HD
	Cattle > 200kg	A2 / A3	6	5.0, 3.8, 3.5, 3.2 / 1.2	225	Standard and HD
	Cattle > 200kg	A2 / A3	2	3.2 / 0.35	180	Standard and HD
	Cattle > 200kg	A2 / A3	2	3.8, 3.5 / 0.4	190	Standard and HD
	Cattle > 200kg	A2 / A3	2	4.42 / 0.4	200	Standard and HD
	Cattle > 200kg	A2 / A3	2	5.05 / 0.4	225	Standard
	Cattle > 200kg	A3	Manhole Slat	3.81, 3.5, 3.2 / 1.4 (end ope)	190	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.03, 3.8, 3.5, 3.2 / 1.5 (end ope)	225	Heavy Duty
	Cattle > 200kg	Slab	Manhole Slab	3.81, 3.5, 3.2 / 1.4 (end ope)	190	Heavy Duty
	Cattle > 200kg	Slab	Manhole Slab	5.03, 3.8, 3.5, 3.2 / 1.5 (end ope)	225	Heavy Duty
	Slab	Slab	Manhole Slab	4.42 / 1.4 (end ope)	210 / 230	Heavy Duty
	Slab	Slab	Slab	Up to 3.81 / 1.19	275	Heavy Duty
	Beam	Beam	Beam	Up to 3.8 / 0.225	250	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 3.8m / 0.26	300	Suitable to support slats and mass concrete walls
Beam	Beam	Beam	Up to 4.8 / 0.3	360		



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Oran Pre-cast Ltd., Deerpark Industrial Estate, Oranmore, Co. Galway	Cattle > 200kg	A3	6	5.0 / 1.18	234	Standard
	Cattle > 200kg	A3	6	5.0, 4.4 / 1.18	234	Heavy Duty
	Cattle > 200kg	A3	6	4.4, 3.8, 3.5, 3.2 / 1.18	204	Standard
	Cattle > 200kg	A3	6	3.8, 3.5, 3.2 / 1.18	204	Heavy Duty
	Cattle > 200kg	A3	3	5.0 / 0.572	234	Heavy Duty
	Cattle > 200kg	A3	3	4.4, 3.8, 3.5, 3.2 / 0.572	204	Heavy Duty
	Cattle > 200kg	A3	2	5.0 / 0.369	234	Heavy Duty
	Cattle > 200kg	A3	2	4.4, 3.8, 3.5, 3.2 / 0.369	204	Heavy Duty
	Slab	Slab	Manhole slab	5.0 / 1.37 (centre ope and end ope)	234	Heavy Duty
	Slab	Slab	Manhole slab	4.4, 3.8, 3.5, 3.2 / 1.37 (centre ope and end ope)	204	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.4, 3.81, 3.5, 3.2 / 1.37 (centre and end ope)	204	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.0 / 1.37 (centre and end ope)	234	Heavy Duty
	Beam	Beam	Beam	4.4, 3.8, 3.5, 3.2 / 0.590	204	Suitable to support mass concrete walls
Beam	Beam	Beam	5.0, 4.4 / 0.590	234		
Quinn Building Products, Derrylin, Co. Fermanagh.	Slab	Slab	Hollowcore slab	Up to 5.0m with 75mm concrete skim / 1.2	200	Heavy Duty
Scally Precast Concrete Ltd., Attyconnor, Kilbeggan, Co. Westmeath.	Cattle > 200kg	A2 / A3	6	4.42, 3.8, 3.5, 3.2 / 1.17	200	Standard
	Cattle > 200kg	A2 / A3	6	5.02, 4.42, 3.8, 3.5, 3.2 / 1.17	200	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.42, 3.8, 3.5, 3.2 / 1.4 (end and centre ope)	200	Heavy Duty
	Slab	Slab	Manhole Slab	4.42, 3.8, 3.5, 3.2 / 1.4 (end and centre ope)	200	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Smyths's Sand & Gravel Ltd., Birr, Co. Offaly	Cattle > 200kg	A2 / A3	6	4.4, 3.8, 3.5, 3.2 / 1.175	190	Heavy Duty
	Cattle > 200kg	A2 / A3	3	4.4, 3.8, 3.5, 3.2 / 0.57	190	Standard
	Cattle > 200kg	A2 / A3	2	4.4, 3.8, 3.5, 3.2 / 0.37	190	Standard
	Cattle > 200kg	A3	Scraper slat	4.4, 3.8, 3.5, 3.2 / 1.37	190	Heavy Duty
	Cattle > 200kg	A2 / A3	Manhole slat	4.4, 3.8, 3.5, 3.2 / 1.37 (end and centre ope)	190	Heavy Duty
	Slab	Slab	Manhole slab	4.4, 3.8, 3.5, 3.2 / 1.37 (end and centre ope)	190	Heavy Duty
	Slab	Slab	Slab	4.4, 3.8, 3.5, 3.2 / 1.175	190	Heavy Duty
	Beam	Beam	Beam	4.4, 3.8, 3.5, 3.2 / 0.315	190	Suitable to support mass concrete walls
Beam	Beam	Beam	4.4, 3.8, 3.5, 3.2 / 0.325	300	Suitable to support slats and mass concrete walls	
Tracey Concrete Ltd., Old Rossorry, Sligo Road, Enniskillen, Co. Fermanagh BT74 7LF (Continued on next page)	Cattle > 200kg	A3	6	5.0, 4.8, 4.4, 4.25 / 1.2	220	HD and Standard
	Cattle > 200kg	A3	6	3.95, 3.75, 3.6, 3.45, 3.3, 3.15, 3.0, 2.85, 2.7, 2.55, 2.4, 2.25, 2.1 / 1.2	180	HD and Standard
	Cattle > 200kg	A3	4	5.04, 4.8, 4.6, 4.4, 4.25 / 0.8	220	HD and Standard
	Cattle > 200kg	A3	4	3.95, 3.75, 3.6, 3.45, 3.3, 3.15, 3.0, 2.85, 2.7, 2.55, 2.4, 2.25, 2.1 / 0.8	180	HD and Standard
	Cattle > 200kg	A3	3	5.04, 4.8, 4.6, 4.4, 4.25 / 0.6	220	HD and Standard
	Cattle > 200kg	A3	3	3.95, 3.75, 3.6, 3.45, 3.3, 3.15, 3.0, 2.85, 2.7, 2.55, 2.4, 2.25, 2.1 / 0.6	180	HD and Standard
	Cattle > 200kg	A3	2	5.04, 4.8, 4.6, 4.4, 4.25 / 0.39	220	HD and Standard
	Cattle > 200kg	A3	2	3.95, 3.75, 3.6, 3.45, 3.3, 3.15, 3.0, 2.85, 2.7, 2.55, 2.4, 2.25, 2.1 / 0.39	180	HD and Standard
	Slab	Slab	Manhole Slab	5.0, 4.8, 4.4, 4.25 / 1.2 (centre ope)	220 / 300	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	5.0, 4.8, 4.4, 4.25 / 1.2 (centre ope)	220 / 300	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Tracey Concrete Ltd., Old Rossorry, Sligo Road, Enniskillen, Co. Fermanagh BT74 7LF (Continued)	Slab	Slab	Manhole Slab	3.96, 3.75, 3.6, 3.45, 3.3, 3.15, 3.0, 2.85, 2.7, 2.55, 2.4, 2.25, 2.1 / 1.3 (centre ope)	180	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	3.96, 3.75, 3.6, 3.45, 3.3, 3.15, 3.0, 2.85, 2.7, 2.55, 2.4, 2.25, 2.1 / 1.3 (centre ope)	180	Heavy Duty
	Beam	Beam	Beam	Up to 3.90 m / 0.305	178	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 5.032 m / 0.305	220	
	Beam	Beam	Beam	Up to 3.9 m / 0.305	305	Suitable to support slats and mass concrete walls
W & M Kiely Ltd, Courtbrack, Blarney, Co. Cork (Continued on next page)	Cattle > 200kg	A3	6	3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 1.2	180	HD and Standard
	Cattle > 200kg	A3	6	4.4, 4.1 / 1.2	230 / 200	Heavy Duty
	Cattle > 200kg	A3	6	5.0, 4.7, 4.4, 4.1, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 1.2	230	Heavy Duty
	Cattle > 200kg	A3	2	3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 0.38	180	Standard
	Cattle > 200kg	A3	3	3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 0.57	180	Standard
	Cattle > 200kg	A3	2	5.0, 4.4, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 0.38	230	Heavy Duty
	Cattle > 200kg	A3	3	5.0, 4.4, 3.8, 3.5, 3.2, 2.9, 2.6, 2.3 / 0.57	230	Heavy Duty
	Cattle > 200kg	A3	Manhole slat	5.0, 4.7, 4.4, 4.1 / 1.2 (end ope)	230 / 250	Heavy Duty
	Cattle > 200kg	A3	Manhole slat	3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 1.2 (end ope)	180 / 250	Heavy Duty
	Slab	Slab	Manhole Slab	5.0, 4.7, 4.4, 4.1 / 1.2	230/250	Heavy Duty
	Slab	Slab	Manhole Slab	3.8, 3.5, 3.2, 2.9, 2.6, 2.3, 2.0 / 1.2	180/250	Heavy Duty
	Slab	Slab	Slab	5.0, 4.4, 4.1, 3.8, 3.5, 3.2, 2.89, 2.59, 2.28 / 1.18	230	Heavy Duty



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
W & M Kiely Ltd, Courtbrack, Blarney, Co. Cork (Continued)	Beam	Beam	Beam	5.625, 5.5, 5.3, 5.2, 5.0, 4.87, 4.72, 4.57, 4.4, 4.26, 4.1, 3.96, 3.8, 3.65, 3.5, 3.35, 3.2, 3.0 / 0.450	500	Suitable to support HD slats, slabs and mass concrete walls
	Beam	Beam	Beam.	5.0, 4.87, 4.72, 4.57, 4.4, 4.26, 4.1, 3.96, 3.8, 3.65, 3.5, 3.35, 3.2, 3.0, 2.89, 2.74, 2.59, 2.43 / 0.305	375	Suitable to support slats and mass concrete walls
	Beam	Beam	Beam	4.4, 4.26, 4.1, 3.96, 3.8, 3.65, 3.5, 3.35, 3.2, 3.0, 2.89, 2.74, 2.59, 2.43 / 0.310	300	Suitable to support mass concrete walls, pig slats and sheep slats
	Beam	Beam	Beam	3.99, 3.96, 3.8, 3.65, 3.5, 3.35, 3.2, 3.0, 2.89, 2.74, 2.59, 2.43 / 0.270	250	
	Beam	Beam	Beam	3.67, 3.5, 3.35, 3.2, 3.0, 2.89, 2.74, 2.59, 2.43 / 0.195	225	
	Beam	Beam	Beam	4.4, 4.1, 3.8, 3.5, 3.2, 2.89, 2.59, 2.28 / 0.380	230	Suitable to support slats and mass concrete walls
	Beam	Beam	Beam	5.0, 4.4, 4.1, 3.8, 3.5, 3.2, 2.89, 2.59, 2.28 / 0.570	230	Suitable to support slats and mass concrete walls
	Sows and Sheep	B3	4	3.0, 2.9, 2.74, 2.59, 2.44, 2.28, 2.13, 1.98, 1.82, 1.67, 1.52, 1.37, 1.2, / 0.61	100	Standard
	Sows and Sheep	B3	6	2.83, 2.74, 2.59, 2.44, 2.28, 2.13, 1.98, 1.82, 1.67, 1.52, 1.37, 1.2 / 0.6	100	Standard



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
William Maxwell Precast Ltd., Empor, Ballynacargy, Co. Westmeath	Cattle > 200kg	A3	6	4.4, 3.8, 3.5, 3.2 / 1.2	190	Standard
	Cattle > 200kg	A3	6	3.8, 3.5, 3.2 / 1.2	190	Heavy Duty
	Cattle > 200kg	A3	6	4.4 / 1.2	220	Heavy Duty
	Cattle > 200kg	A3	Manhole Slat	4.4 / 1.4 (end ope)	190	Heavy Duty
	Manhole slab	Slab	Manhole slab	4.4 / 1.4 (end ope)	190	Heavy Duty
	Manhole slab	Slab	Manhole slab	3.8, 3.5, 3.2 / 1.4 (centre ope)	190	Heavy Duty
	Cattle > 200kg	A3	6	5.0 / 1.2	230	Heavy Duty
	Manhole Slab	Slab	Manhole slab	5.0 / 1.4	225	Heavy Duty
	Sows and Sheep	B3	11	2.7, 2.4, 1.8 / 1.2	100	Standard
	Slab	Slab	Slab	3.8, 3.5, 3.2 / 1.2	190	Heavy Duty
	Slab	Slab	Slab	5.0 / 1.4	225	Heavy Duty
	Beam	Beam	Beam	Up to 3.880 / 0.4	190	Suitable to support mass concrete walls
	Beam	Beam	Beam	Up to 4.420 / 0.5	190	
	Beam	Beam	Beam	Up to 5.030 / 0.5	225	
	Beam	Beam	Beam	Up to 3.800 / 0.3	300	Suitable to support HD slats, slabs and mass concrete walls
Beam	Beam	Beam	Up to 5.030 / 0.4	450		



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Wright Quarry Products Ltd., Rockcorry, Swann's Cross Co. Monaghan	Cattle > 200kg	A2, A3	6	4.0, 3.75, 3.5, 3.25 / 1.15	180	Heavy Duty
	Cattle > 200kg	A3	7	3.95 to 1.5 / 1.27	180	HD and Standard
	Cattle > 200kg	A3	6	3.95 to 1.5 / 1.085	180	HD and Standard
	Cattle > 200kg	A3	5	3.95 to 1.5 / 0.905	180	HD and Standard
	Cattle > 200kg	A3	4	3.95 to 1.5 / 0.725	180	HD and Standard
Wright Concrete Products, Aclint Bridge, Carrickmacross, Co. Monaghan (Continued on next page)	Cattle > 200kg	A3	3	3.95 to 1.5 / 0.54	180	HD and Standard
	Cattle > 200kg	A3	2	3.95 to 1.5 / 0.365	180	Standard
	Cattle > 200kg	A3	6	4.4 to 4.27 / 1.2	220	HD and Standard
	Cattle > 200kg	A3	5	4.4 to 4.27 / 1.01	220	HD and Standard
	Cattle > 200kg	A3	4	4.4 to 4.27 / 0.81	220	HD and Standard
	Cattle > 200kg	A3	3	4.4 to 4.27 / 0.6	220	Standard
	Cattle > 200kg	A3	2	4.4 to 4.27 / 0.4	220	Standard
	Cattle > 200kg	A3	6	5.0 to 4.88, 4.725, 4.57 / 1.2	230	HD and Standard
	Cattle > 200kg	A3	5	5.0 to 4.88, , 4.725, 4.57 / 1.01	230	HD and Standard
	Cattle > 200kg	A3	4	5.0 to 4.88, 4.725, 4.57 / 0.81	230	HD and Standard
	Cattle > 200kg	A3	3	5.0 to 4.88 / 0.6	230	Standard
	Cattle > 200kg	A3	2	5.0 to 4.88 / 0.4	230	Standard
	Cattle > 200kg	A3,A2	Scraper Slat	2.8 to 3.96 / 1.665	180/250	HD and Standard
	Cattle > 200kg	A3,A2	Channel Slat	3.685 / 1.220 (supported on sides)	180	HD and Standard
Cattle > 200kg	A3	Manhole slat	4.0 to 1.8 / 1.2 (centre & end ope)	180 / 250	Heavy Duty	
Manhole Slab	Slab	Manhole Slab	4.0 to 1.8 / 1.2 (centre & end ope)	180 / 250	Heavy Duty	
Cattle > 200kg	A3	Manhole slat	4.4 to 4.1 / 1.2 (centre & end ope)	225 / 300	Heavy Duty	
Manhole Slab	Slab	Manhole Slab	4.4 to 4.1 / 1.2 (centre & end ope)	225 / 300	Heavy Duty	
Cattle > 200kg	A3	Manhole slat	5.0 to 4.5 / 1.2 (centre & end ope)	240 / 290	Heavy Duty	
Manhole Slab	Slab	Manhole Slab	5.0 to 4.5 / 1.2 (centre & end ope)	240 / 290	Heavy Duty	
Sows & Sheep	B2, B3	3	2.3 to 0.9 / 0.29	75	Standard	



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))	
Wright Quarry Products Ltd., Rockcorry, Swann's Cross Co. Monaghan	Sows & Sheep	B2, B3	4	2.7 to 2.3 / 0.4	100	Standard	
	Sows & Sheep	B2, B3	9	2.7 to 2.1 / 1.2	100	Standard	
	Sows & Sheep	B2, B3	8	2.7 to 2.1 / 1.09	100	Standard	
	Sows & Sheep	B2, B3	7	2.7 to 2.1 / 0.95	100	Standard	
	Sows & Sheep	B2, B3	6	2.7 to 2.1 / 0.81	100	Standard	
Wright Concrete Products, Aclint Bridge, Carrickmacross, Co. Monaghan	Sows & Sheep	B2, B3	5	2.7 to 2.1 / 0.67	100	Standard	
	Sows & Sheep	B2, B3	4	2.7 to 2.1 / 0.53	100	Standard	
	Sows & Sheep	B2, B3	3	2.7 to 2.1 / 0.418	100	Standard	
	Sows & Sheep	B2, B3	2	2.7 to 2.1 / 0.26	100	Standard	
	Sows & Sheep	B2, B3	9	3.7 to 2.75 / 1.2	150	Standard	
	(Continued on next page)	Sows & Sheep	B2, B3	5	3.7 to 2.75 / 0.69	150	Standard
	Sows & Sheep	B3	4	4.27 to 3.32 / 0.5	150	Standard	
	Sows & Sheep	B3	8	4.27 to 3.32 / 1.0	150	Standard	
	Sows & Sheep	B3	10	4.27 to 1.0 / 1.2	150	Standard	
	Slab	Slab	Slab	1.83 to 4.88 / 1.2	200	Heavy Duty	
Manhole Slab	Slab	Hollowcore slab (manhole notch)	1.83 to 5.79 / 0.26 to 1.20 with 75mm concrete screed – always in pair	200	Heavy Duty		
Slab	Slab	Hollowcore slab	1.83 to 5.79 / 0.26 to 1.20 with 75mm concrete screed	200	Heavy Duty		
Manhole Slab	Slab	Hollowcore slab (manhole notch)	1.83 to 7.01 / 0.31 to 1.20 with 75mm concrete screed– always in pair	250	Heavy Duty		
Slab	Slab	Hollowcore slab	1.83 to 7.01 / 0.31 to 1.20 with 75mm concrete screed	250	Heavy Duty		
Beam	Beam	Beam	1.5 to 3.960 / 0.365	180	Suitable to support mass concrete walls		
Beam	Beam	Beam	4.27 to 5.030 / 0.4	230			
Beam	Beam	Beam	Up to 4.420 / 0.305	305			



Name and Address	Suitable for Animal type	Load Class	No. of Ribs / manhole / Scraper / other	Length(s) / Width in metres	Depth (mm)	Slat type (Standard / Heavy Duty (HD))
Wright Quarry Products Ltd., Rockcorry, Swann's Cross Co. Monaghan	Beam	Beam	Beam	Up to 3.965 / 0.405	305	Suitable to support slats and mass concrete walls
Wright Concrete Products, Aclint Bridge, Carrickmacross, Co. Monaghan	Beam	Beam	Beam	Up to 3.965 / 0.510	305	Suitable to support HD slats, slabs and mass concrete walls
(Continued)						



ACCEPTED PRECAST CUBICLE BEDS			
Name and Address	Length	Width	Depth
Corbett Concrete Products Ltd., Mooneraha, Cahir, Co. Tipperary	2.0	1.15	275 at head to 190 at heel
	3.0	1.15	275 at head to 190 at heel
	4.0	1.15	275 at head to 190 at heel
	5.0	1.15	275 at head to 190 at heel
Croom Concrete Ltd., Off Church Road, Croom, Co. Limerick.	5.03	1.15	254 at centre to 178 at heel
	2.514	1.15	254 at head to 178 at heel
	2.133	1.15	254 at head to 178 at heel
	1.981	1.15	254 at head to 178 at heel
	1.828	1.15	254 at head to 178 at heel



ACCEPTED PRECAST CUBICLE BEDS			
Name and Address	Length	Width	Depth
Creagh Concrete Products Ltd., Blackpark Road, Toomebridge, Co Antrim, BT41 3SL	2.1	1.2	270 at head to 185 at heel
	2.3	1.2	270 at head to 185 at heel
	2.4	1.2	270 at head to 175 at heel
	2.6	1.2	270 at head to 180 at heel
	2.7	1.2	270 at head to 185 at heel
	3.6	1.2	300 at centre to 225 at heel
	3.95	1.2	300 at centre to 220 at heel
	4.1	1.2	300 at centre to 220 at heel
	4.25	1.2	300 at centre to 215 at heel
	4.4	1.2	300 at centre to 215 at heel
	4.5	1.2	300 at centre to 215 at heel
	4.6	1.2	300 at centre to 205 at heel
	4.8	1.2	300 at centre to 200 at heel
All precast beds, except 2.1m long can be supplied with end wall cast in place.			
Drumderry Precast, Drumderry, Bunclody, Co. Wexford.	2.15	1.140	220 at head to 160 at heel
	2.30	1.140	220 at head to 160 at heel
	4.27	1.140	300 at centre to 200 at heel
	4.57	1.140	300 at centre to 200 at heel
	4.87	1.140	300 at centre to 200 at heel
	5.47	1.140	300 at centre to 200 at heel



ACCEPTED PRECAST CUBICLE BEDS			
Name and Address	Length	Width	Depth
Fogarty Concrete Ltd., (Campion Slats) Gurrane, Templederry, Nenagh, Co. Tipperary	4.572	1.195	279 in centre to 203/228 at heel
	2.44	1.15	300 at head to 200 at heel
	2.285	2.4	300 at head to 200 at heel
	2.285	1.15	300 at head to 200 at heel
	2.13	2.4	300 at head to 200 at heel
	2.13	1.15	300 at head to 200 at heel
Hughes Precast Products Ltd., 338 Monaghan Road, Middletown, Co. Armagh BT60 4JQ	See listing for Wright Quarry Products Ltd. for acceptable range of precast cubicle beds.		
Maxwell Concrete, 22 Folliard Road, Castledearg, Co. Tyrone BT81 7JW	2.13	1.15	260 at head to 167 at heel
	2.3	1.15	260 at head to 167 at heel
	2.44	1.15	260 at head to 167 at heel
	2.6	1.15	260 at head to 167 at heel
	4.27	1.15	260 at head to 167 at heel
	4.575	1.15	260 at head to 167 at heel
	4.88	1.15	260 at head to 167 at heel



ACCEPTED PRECAST CUBICLE BEDS			
Name and Address	Length	Width	Depth
B. McCaffrey & Sons Ltd., Knockninny Quarry, Derrylin, Co Fermanagh, BT92 9JU	2.15	1.14	290 at head to 205 at heel
	2.30	1.14	290 at head to 205 at heel
	2.45	1.14	290 at head to 205 at heel
	2.15	1.14	445 at head to 205 at heel
	2.30	1.14	445 at head to 205 at heel
	2.45	1.14	445 at head to 205 at heel
	4.265	1.14	290 at head to 215 at heel
	4.42	1.14	290 at head to 215 at heel
	4.575	1.14	290 at head to 215 at heel
	4.725	1.14	290 at head to 215 at heel
4.880	1.14	290 at head to 215 at heel	
McGrath Precast Concrete Ltd., O'Callaghan Mills, Co. Clare	2.1	1.15	285 at head to 205 at heel
	2.25	1.15	285 at head to 205 at heel
	2.4	1.15	285 at head to 205 at heel
	2.45	1.15	285 at head to 205 at heel
O'Rourke Bros Quarry Products Ltd., t/a Wexford Concrete, Poulregan, Castlebridge, Co. Wexford	2.25	2.4	150 at head to 150 at heel, resting on support beams to bring to required height.



ACCEPTED PRECAST CUBICLE BEDS			
Name and Address	Length	Width	Depth
Spillane Precast Concrete Ltd, Cunnahurt, Nenagh, Co. Tipperary	2.438	1.15	240 at head to 175 at heel
	4.267	1.15	240 at head to 175 at heel
	4.420	1.15	240 at head to 175 at heel
	4.572	1.15	240 at head to 175 at heel
	4.724	1.15	240 at head to 175 at heel
	4.866	1.15	240 at head to 175 at heel
	2.400	1.15	285 at head to 200 at heel
	2.250	1.15	285 at head to 205 at heel
	2.100	1.15	285 at head to 210 at heel
	2.400	1.4	285 at head to 200 at heel
	2.250	1.4	285 at head to 205 at heel
	2.100	1.4	285 at head to 210 at heel
Tracey Concrete Ltd., Old Rossorry, Sligo Road, Enniskillen, Co. Fermanagh BT74 7LF	4.877	1.0	280 at head to 200 at heel
W & M Kiely Ltd, Courtbrack, Blarney, Co. Cork	4.28	1.200	275 at centre to 200 at heel
	2.28	1.200	275 at head to 200 at heel
William Maxwell Precast Ltd., Empor, Ballynacargy, Co. Westmeath	4.8	1.140	240 at centre to 170 at heel
	2.4	1.140	220 at head to 160 at heel



ACCEPTED PRECAST CUBICLE BEDS			
Name and Address	Length	Width	Depth
Wright Quarry Products Ltd., Rockcorry, Swann's Cross Co. Monaghan	4.267	1.15	295 in centre to 200 at heel
	4.570	1.15	295 in centre to 195 at heel
	4.877	1.15	295 in centre to 185 at heel
	1.981	1.15	295 at head to 205 at heel
	2.135	1.15	295 at head to 200 at heel
Wright Concrete Products, Aclint Bridge, Carrickmacross, Co. Monaghan	2.285	1.15	295 at head to 195 at heel
	2.440	1.15	295 at head to 185 at heel
	2.743	1.15	295 at head to 180 at heel
	1.981 to 2.743	1.15	260 at head to 175 at heel



ACCEPTED PRECAST CONCRETE PILLARS FOR PILLAR AND BEAM SPINE WALLS						
Name and Address	Height (maximum)	Width	Depth	Foundation	Maximum pillar spacing	Maximum slat / slab length supported either side
Croom Concrete Ltd., Off Church Road, Croom, Co. Limerick..	3.0 m	400mm diameter		600mm diameter. Min 275mm deep. 2 No layers of A393 mesh.	3.66m centre to centre	Max 5.03m slat or slab each side. Slabs only permitted to one side.



ACCEPTED PLASTIC SHEEP SLATS		
Name	Address	Slat
Carn Agri Products	C/O Charlie Doherty, Cashelgragen, Carndonagh Co. Donegal	Trapper (Manufactured by MIK International) Stepper (Manufactured by MIK International)
G. Finnerty Agri-Services Ltd.,	Baltinoran, Ballinabrackey, Kinnegad, Co. Meath	Trapper (Manufactured by MIK International) Stepper (Manufactured by MIK International)
G H. Best Ltd.,	Augherskilly, Ballyconnell, Co. Cavan	Plastic Sheep Slats
Finrone Systems Ltd.,	New Buildings Industrial Estate, Victoria Road, Newbuildings, Londonderry, BT47 2SX.	Trapper Manufactured by MIK International
Hanco Agricultural	Woolhope, Hereford, HRI 4QX, England	Trapper Manufactured by MIK International
IDS	Mountrath Road, Portlaoise, Co. Laois	Big Dutchman slats for sows and finishers
Jetwash Ltd.,	Carrigallen, Co. Leitrim	Premium T14



ACCEPTED PLASTIC SHEEP SLATS		
Name	Address	Slat
Letterkenny Activity Centre Ltd.,	Ballymaleel, Letterkenny, Co. Donegal	Sheep / Goat slat 500mm x 600mm Zhucheng Zhongxing Livestock Machinery Co Ltd
O'Donovan Engineering Co. Ltd.,	Coachford, Co. Cork	Stepper XL and Stepper XL with Naps Manufactured by MIK International
O'Donnell Engineering	Tulla, Emly, Co. Tipperary	Rotecna Weaner Slat (lambs up to 60kg) Rotecna Sow Slat Trapper (Manufactured by MIK International) Trapper XL (Manufactured by MIK International) Stepper (Manufactured by MIK International) Stepper XL (Manufactured by MIK International) Rubin (sheep up to 110kg)
Rimco Services Ltd.,	20 Orchard Road, Malton, North Yorkshire, YO17 7BH, England	Polyproplene Manufactured by RiMCO Services

Plastic sheep slats shall be supported in accordance with manufacturers' instructions.



ACCEPTED PLASTIC CALF SLATS		
Name	Address	Slat
G H. Best Ltd.,	Augherskilly, Ballyconnell, Co. Cavan	Plastic Sheep Slats
O'Donnell Engineering	Tulla, Emly, Co. Tipperary	Rotecna Weaner Slat (calves up to 60kg) Rotecna Sow Slat Trapper (Manufactured by MIK International) Trapper XL (Manufactured by MIK International) Stepper (Manufactured by MIK International) Stepper XL (Manufactured by MIK International) Rubin (calves up to 110kg)
O'Donovan Engineering Co. Ltd.,	Coachford, Co. Cork	Stepper XL Manufactured by MIK International

Plastic calf slats shall be supported in accordance with manufacturers' instructions.



ACCEPTED PLASTIC PIG SLATS			
Name	Address	Slat	Pig Group
G. Finnerty Agri-Services Ltd.,	Baltinoran, Ballinabrackey, Kinnegad, Co. Meath	Swing and Rubin slats by MIK	Sows
		Rubin, Chess and Smaragd slats by MIK	1 st Stage Weaners
		Trapper and Smaragd slats by MIK	2 nd Stage Weaners and Finishers
IDS	Mountrath Road, Portlaoise, Co. Laois	Big Dutchman slats	Sows and Finishers
		Estudio Agropecuario SL	Sows
Letterkenny Activity Centre Ltd.,	Ballymaleel, Letterkenny, Co. Donegal	Zhucheng Zhongxing Livestock Machinery Co Ltd	Finishers
Phil Bennis & Sons Ltd	The Old Creamery, Clarina Road, Patrickswell, Co. Limerick	Nooyen Super Coated Woven Wire Flooring	Farrowing pens
		Rotecna Weaner Slat	1 st and 2 nd stage Weaner pens
		Rotecna Round Weaner Slat	

Plastic pig slats shall be supported in accordance with manufacturers' instructions.

ACCEPTED PLASTIC POULTRY SLATS		
Name	Address	Slat

Plastic poultry slats shall be supported in accordance with manufacturers' instructions.